EAST Search History

Plurals Time Stamp DBs Default Coperator C
SI 99 (("20050232302") or ("2005023564") or ("2005023564") or ("2005023529") or ("20040216139") or ("2005003559") or ("2005003559") or ("6085156") or ("6223134") or ("6223134") or ("6223134") or ("6223134") or ("6223134") or ("6323134") or ("63232134") or ("632351") or ("5305649") or ("6303035008") or ("20020184326") or ("2006004535") or ("520479") or ("574072") or ("574072") or ("5734119") or ("574072") or ("5734119") or ("5784755") or ("5320479") or ("5784755") or ("5320479") or ("5784735") or ("5320479") or ("20060206626") or ("20070248021") or ("20070248021") or ("20070248021") or ("20070248034") or ("5370350") or ("5364892") or ("6324539") or ("6324539") or ("6324539") or ("5772963") or ("580564892") or ("6324539") or ("5328389") or ("6328398") or ("6328398") or ("6328398") or ("5328389") or ("6328398") or ("5328389") or ("5328389") or ("5328389") or ("5328389") or ("633097") or ("5825785") or ("5328389") or ("633097") or ("633097") or ("633097") or ("5374545") or ("5372874") or ("5372827") or ("5372824") or ("633824") or ("633824") or ("5372824") or ("5372824") or ("5372824") or ("5372824") or ("5372824") or ("5372824") or ("633828) or ("63828328") or ("633828) or ("63828328") or ("63828328") or ("63828328") or ("6382832") or ("63828324") or ("6382834") o
("4926413") or ("5596631") or

		("5788688") or ("5793813") or ("7253385") or ("7319936") or ("20050248764") or ("20060123296") or ("20070253056") or ("20080077350") or ("6421745") or ("5636344") or ("5850388") or ("5850388") or ("4799059") or ("4914688") or ("4945806") or ("4998274") or ("5270475") or ("5287528") or ("5392224") or ("5572684")).PN.				
S2	119	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND (translat\$3 OR convert\$3 OR transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S3	282	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
\$4	4	(@ay<= "2004" OR @rlad<= "20040415") AND SCPI AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S5	86	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S6	103	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH protocol ADJ (command OR instruction OR query) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S7	17	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S8	17		US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20

S9	1	("7134081").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/12 11:20
S10	17	(@ay<= "2004" OR @rlad<= "20040415") AND SCPI AND NET AND (translat \$3 OR convert\$3 OR transform \$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S11	164	(@ay<= "2004" OR @rlad<= "20040415") AND ((Standard ADJ Instrument\$6) OR SCPI) AND NET AND (translat\$3 OR convert\$3 OR transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S12	11	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH protocol WITH validat \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S13	43	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction OR query) WITH protocol SAME validat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S14	37	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction OR query) WITH protocol AND validat\$3 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S15	8	(@ay<= "2004" OR @rlad<= "20040415") AND SCPI AND "NET" AND (API OR (Application ADJ Programming ADJ Interface))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S16	139	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) SAME validity WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S17	25	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (command OR query) WITH validat\$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27

S18	4	(("7134081") or ("20050091269") or ("5958010") or ("20020124108")).PN.	US-PGPUB; USPAT	OR	OFF	2008/11/12 11:27
S19	3	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) AND (stream ADJ format) AND (command OR query) WITH validat\$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S20	49	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:27
S21	5	(@ay<= "2004" OR @rlad<= "20040415") AND before WITH (translat\$3 OR convert\$3 OR transform\$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S22	16	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH protocol SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S23	8	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME NET ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S24	288	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S25	328	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) WITH validat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28

S26	86	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$) ADJ validity) OR validat\$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S27	88	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$ OR evaluat\$3) ADJ valid\$3) OR validat\$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S28	193	(@ay<="2004" OR @rlad<="20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) AND (((determin\$ OR ascertain \$ OR evaluat\$3) ADJ validity) OR validat\$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S29	48	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$ OR evaluat\$3) ADJ validity) OR validat\$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S30	54	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH (command OR instruction) SAME (((determin\$ OR ascertain\$ OR evaluat\$3) ADJ validity) OR validat\$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28
S31	4	(@ay<= "2004" OR @rlad<= "20040415") AND (translat\$3 OR convert\$3 OR transform\$3) WITH SCPI ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:28

S32	28	, ,	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:29
S33	49	(@ay<= "2004" OR @rlad<= "20040415") AND (translated OR converted OR transformed) ADJ5 (command OR instruction) WITH validat \$3		OR	ON	2008/11/12 11:29
S34	1	("6766386").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/12 11:29
S35	357	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:29

11/24/2008 2:26:59 PM

C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces \ 10825466_SCPI_NET_Translation_A2.wsp